



BLUE  
SHIELD

POLY  
FIBER



ringel  
brothers

*Manufacturing Excellence*

## OSHA GHS SAFETY DATA SHEET

This Safety Data Sheet was constructed as a courtesy in response to customer requests. The subject products are articles, and exempt from OSHA MSDS requirements. These products should not present a health or safety hazard under recommended or normal use. However, misuse of these products may affect product performance or present a potential health and safety hazard.

### **SECTION 1 –PRODUCT AND COMPANY IDENTIFICATION**

Product: Industrial Kraft Paper – Recycled or Virgin  
Manufacturer: HOLLAND MANUFACTURING CO., INC.  
Address: 15 MAIN STREET, P.O. BOX 404, SUCCASUNNA, NJ 07876  
Phone: (973) 584-8141 Fax: (973) 598-6233 Rev.date: 10/7/15

#### **Recommended use of the material:**

Kraft paper for professional use as a packaging or industrial wrap.

**Restrictions on use:** food contact

### **2. HAZARD(S) IDENTIFICATION**

This product is not hazardous in the form in which it is shipped by the manufacturer, but combustible dust may be formed through downstream activities (e.g., cutting, grinding, slitting) that reduce its particle size. User of this product should evaluate the potential to generate and control dust during processing.

Primary Hazard Classification: Combustible dust

#### **WARNING**

Cellulose dust may be generated during processing that changes the dimensions of this product and may form combustible dust concentrations in the air.

### **3. COMPOSITION / INFORMATION ON INGREDIENTS**

Kraft paper (Virgin) is made cellulose fiber. Recycled Paper is made from recovered cellulose fiber.

### **4. FIRST-AID MEASURES**

**Inhalation:** Not expected to be a problem. Inhalation of fibers or fiber dust (which may be generated by cutting or grinding) may cause respiratory irritation. Move to fresh air if effects occur. Consult a physician if persistent coughing or other symptoms develop.

**Skin:** Not expected to be a problem. Wash contaminated skin with mild soap and water. Individuals experiencing skin sensitivity should obtain medical advice.

**Eyes:** Not expected to be a problem. Fibers or fiber dust may cause irritation or scratch the eye surface. Flush with water to remove particles. Remove contact lenses if present. Consult a physician if persistent irritation or other symptoms develop.



**Holland Manufacturing Co, Inc.**

Succasunna, NJ – Corporate HQ  
Attleboro, MA – Polyfiber Mfg Facility

973-584-8141

[www.hollandmfg.com](http://www.hollandmfg.com)



BLUE  
SHIELD

POLY  
FIBER



ringel  
brothers

*Manufacturing Excellence*

**Ingestion:** Not expected to be a problem. No adverse effects are believed to occur from swallowing a small amount. Consult a physician if symptoms develop, or if a large amount is swallowed.

**Most important symptoms/effects, acute and delayed:** Cellulose dust may cause mechanical irritation of the nose, throat, respiratory tract and eyes.

**Contaminated clothing does not need to be removed.**

**Personal protective equipment is not required for first-aid responders.**

### **5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Water. Carbon dioxide, dry chemical, foam and fog are also suitable.

**Hazardous combustion products:** This product is designed for flame resistant but under certain conditions the product is still combustible. Combustion products include carbon monoxide; carbon dioxide; aldehydes; dense, black smoke, ammonia, and NO<sub>x</sub>, PO<sub>x</sub>, and SO<sub>x</sub> toxic fumes.

**Special protective equipment and precautions for fire-fighters:** Positive pressure self-contained breathing apparatus and protective clothing should be worn in fighting fires. Determine the need to evacuate or isolate the area according to your local emergency plan

### **6. ACCIDENTAL RELEASE MEASURES**

**Release/Spill Procedures:** Pick up and recycle or dispose as normal refuse. Minimize cleanup procedures that generated large amounts of dust. Notification to regulatory agencies is not expected to be an issue.

**Personal precautions, protective equipment, and emergency procedures:** Wear appropriate protective equipment. Eliminate all ignition sources. Also see Section 8.

**Environmental Precautions:** Normal good environmental housekeeping, i.e., prevent material from entering drainage systems; prevent disposal in local soil and bodies of water.

**Methods and materials for containment and cleaning up:** Collect material and place in a container for recycle (preferable) or disposal. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentrations. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

### **7. HANDLING AND STORAGE**

**Handling:** No special precautions are necessary beyond normal good hygiene and workplace safety practices. Provide adequate ventilation.

**Precautions:** Minimize the generation of dust when processing and use good housekeeping to prevent accumulation of dust in the work area.

**Conditions for safe storage, including any incompatibilities:** Store away from heat and ignition sources, open flame, combustible materials, strong oxidizers.

### **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Exposure guidelines:** Cellulosic Dust      15 mg/mg (total dust), 5 mg/m<sup>3</sup> (respirable)



**Holland Manufacturing Co, Inc.**

Succasunna, NJ – Corporate HQ  
Attleboro, MA – Polyfiber Mfg Facility

973-584-8141

www.hollandmfg.com



BLUE SHIELD

POLY FIBER



ringel brothers

Manufacturing Excellence

dust) TWA OSHA PEL 10 mg/m<sup>3</sup> (total dust) TWA ACGIH TLV

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance:

Brown solid sheets formed into rolls.

**Odor threshold:** Not applicable

**Melting point/freezing point:** Not applicable

**Flash point:** Not applicable

**Flammability (solid, gas):** Dust presents combustible dust hazard

**Vapor pressure:** Not applicable

**Relative density:** Lighter than water

**Partition coefficient: n-octanol/water:** Not applicable

**Decomposition temperature:** Not determined

**pH:** Not applicable

**Boiling point/range:** Not applicable

**Evaporation rate:** Not applicable

**Flammable limits: LEL:** 30,000 mg/m<sup>3</sup> (cellulose);

**Vapor density:** Not applicable

**Solubility(ies):** Negligible

**Auto-ignition temperature:** 400° F - 500° F

**Viscosity:** Not applicable

## 10. STABILITY AND REACTIVITY

**Chemical stability:** Stable

**Possibility of hazardous reactions:** Reaction with strong oxidizers will generate heat and may cause fire.

**Conditions to avoid:** Sparks, open flame, ignition sources, extreme heat.

**Incompatible materials:** Strong acids, bases and oxidizers.

**Hazardous decomposition products:** Incomplete combustion can produce carbon and oxides of carbon, smoke, possible aldehydes, ammonia, and NO<sub>x</sub>, PO<sub>x</sub>, and SO<sub>x</sub> toxic fumes

## 11. TOXICOLOGICAL INFORMATION

**Carcinogenicity:** Not listed as a Carcinogen by NTP, IARC, & ACGIH or regulated as Carcinogen by OSHA in the purchased form.

**Reported Human Effects:** Not expected to be a skin irritant under normal use. Dust generated by cutting or grinding may cause eye and respiratory irritation.

## 12. ECOLOGICAL INFORMATION

No data available.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal:** Where recycling capability is not available, dispose of waste as normal refuse. Dispose in accordance with applicable federal, state, and local waste management regulations.

**RCRA Information:** Unused product is not a hazardous waste specifically listed by U.S. EPA. The product does not exhibit the hazardous characteristics of ignitability, corrosivity, or reactivity. It is not formulated with contaminants as determined by the Toxicity



**Holland Manufacturing Co, Inc.**

Succasunna, NJ – Corporate HQ  
Attleboro, MA – Polyfiber Mfg Facility

973-584-8141

www.hollandmfg.com



BLUE  
SHIELD

POLY  
FIBER



ringel  
brothers

*Manufacturing Excellence*

Characteristic Leaching Procedure (TCLP). Used product, however, may be regulated, depending upon contaminants to which it may have been exposed.

#### **14. TRANSPORT INFORMATION**

**U.S. Department of Transportation:** Not Regulated

**International Sea Transport/I.M.O.; I.M.D.G.:** Not Determined/Not Regulated

**International Air Transport/I.A.T.A.; I.C.A.O.:** Not Determined/Not Regulated **European**

**Road & Rail/A.D.R.; R.I.D.:** Not Determined

**Canadian Transport of Dangerous Goods:** Not Determined

#### **15. REGULATORY INFORMATION(as applicable/requested)**

**It is the users responsibility to determine what regulatory information is relevant to the usage of this product.**

**CERCLA:** Product is not a Reportable Hazardous Substance

**EPA TSCA Inventory:** All components comply with U.S. TSCA requirements; none are subject to TSCA reporting guidelines

**SARA Hazard Category (311/312):** No Reportable Hazard Categories

**SARA 313:** Fabricated product is not reportable under Toxic Release program.

#### **16. OTHER INFORMATION**

If processing produces dust, refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and handling of Combustible Particulate Solids, for safe handling.



**Holland Manufacturing Co, Inc.**

Succasunna, NJ – Corporate HQ

Attleboro, MA – Polyfiber Mfg Facility

973-584-8141

[www.hollandmfg.com](http://www.hollandmfg.com)